


# OPS-Ingersoll

# OPS-Ingersoll



**H 15 190/16**



**3 - 5  $\mu\text{m}$**



**3,1 m<sup>2</sup> (33 ft<sup>2</sup>)**



**0,8 kg (1.8 lb.)**



# OPS-Ingersoll



**H 15 190/6 N**



**2,8 m<sup>2</sup> (30 ft<sup>2</sup>)**



**1,5 kg (3.3 lb.)**

# OPS-Ingersoll



**H 15 190/10**



**10  $\mu\text{m}$**



**2,8 m<sup>2</sup> (30 ft<sup>2</sup>)**



**0,7 kg (1.5 lb.)**



# OPS-Ingersoll



**H 15 475/10**



**10  $\mu\text{m}$**

**2,8 m<sup>2</sup> (30 ft<sup>2</sup>)**



**ST**

**0,8 kg (1.8 lb.)**

# OPS-Ingersoll



**H 15 190 N**



**2,1 m<sup>2</sup> (22 ft<sup>2</sup>)**



**ST**

**1,4 kg (3.1 lb.)**

# OPS-Ingersoll



**H 31 1033/21**



**3 - 5  $\mu$ m**



**9,9 m<sup>2</sup> (107 ft<sup>2</sup>)**



**6,6 kg (14.6 lb.)**

# OPS-Ingersoll



**H 31 1680/1 Kit**



**3 - 5  $\mu\text{m}$**



**16,6 m<sup>2</sup> (179 ft<sup>2</sup>)**



**8,9 kg (19.6 lb.)**

